



progressive osseous heteroplasia

Progressive osseous heteroplasia is a disorder in which bone forms within skin and muscle tissue. Bone that forms outside the skeleton is called heterotopic or ectopic bone. In progressive osseous heteroplasia, ectopic bone formation begins in the deep layers of the skin (dermis and subcutaneous fat) and gradually moves into other tissues such as skeletal muscle and tendons. The bony lesions within the skin may be painful and may develop into open sores (ulcers). Over time, joints can become involved, resulting in impaired mobility.

Signs and symptoms of progressive osseous heteroplasia usually become noticeable during infancy. In some affected individuals, however, this may not occur until later in childhood or in early adulthood.

Frequency

Progressive osseous heteroplasia is a rare condition. Its exact incidence is unknown.

Genetic Changes

Progressive osseous heteroplasia is caused by a mutation in the *GNAS* gene. The *GNAS* gene provides instructions for making one part of a protein complex called a guanine nucleotide-binding protein, or a G protein.

In a process called signal transduction, G proteins trigger a complex network of signaling pathways that ultimately influence many cell functions. The protein produced from the *GNAS* gene is believed to play a key role in signaling pathways that help regulate the development of bone (osteogenesis), preventing bony tissue from being produced outside the skeleton.

The *GNAS* gene mutations that cause progressive osseous heteroplasia disrupt the function of the G protein and impair its ability to regulate osteogenesis. As a result, bony tissue grows outside the skeleton and causes the complications associated with this disorder.

Inheritance Pattern

This condition is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder.

People normally inherit one copy of each gene from their mother and one copy from their father. For most genes, both copies are active, or "turned on," in all cells. For a small subset of genes, however, only one of the two copies is active. For some of these genes, only the copy inherited from a person's father (the paternal copy) is active, while

for other genes, only the copy inherited from a person's mother (the maternal copy) is active. These differences in gene activation based on the gene's parent of origin are caused by a phenomenon called genomic imprinting.

The *GNAS* gene has a complex genomic imprinting pattern. In some cells of the body the maternal copy of the gene is active, while in others the paternal copy is active. Progressive osseous heteroplasia occurs when mutations affect the paternal copy of the gene.

Other Names for This Condition

- cutaneous ossification
- ectopic ossification
- heterotopic ossification
- myositis ossificans progressiva
- osteoderma
- osteoma cutis
- osteosis cutis
- POH

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Progressive osseous heteroplasia
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0334041/>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Health Topic: Bone Diseases
<https://medlineplus.gov/bonediseases.html>

Genetic and Rare Diseases Information Center

- Progressive osseous heteroplasia
<https://rarediseases.info.nih.gov/diseases/109/progressive-osseous-heteroplasia>

Educational Resources

- Disease InfoSearch: Progressive myositis ossificans
<http://www.diseaseinfosearch.org/Progressive+myositis+ossificans/5984>
- Disease InfoSearch: Progressive osseous heteroplasia
<http://www.diseaseinfosearch.org/Progressive+osseous+heteroplasia/5985>
- Orphanet: Progressive osseous heteroplasia
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=2762

Patient Support and Advocacy Resources

- National Organization for Rare Disorders
<https://rarediseases.org/rare-diseases/progressive-osseous-heteroplasia/>
- Progressive Osseous Heteroplasia Association
http://www.pohdisease.org/ABOUT_POH_DISEASE/

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28Ossification,+Heterotopic%5BMAJR%5D%29+AND+%28progressive+osseous+heteroplasia%5BTIAB%5D%29+AND+english%5BIa%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D>

OMIM

- OSSEOUS HETEROPLASIA, PROGRESSIVE
<http://omim.org/entry/166350>

Sources for This Summary

- Adegbite NS, Xu M, Kaplan FS, Shore EM, Pignolo RJ. Diagnostic and mutational spectrum of progressive osseous heteroplasia (POH) and other forms of GNAS-based heterotopic ossification. *Am J Med Genet A*. 2008 Jul 15;146A(14):1788-96. doi: 10.1002/ajmg.a.32346.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18553568>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2564798/>
- Aynaci O, Mùjgan Aynaci F, Cobanoglu U, Alpay K. Progressive osseous heteroplasia. A case report and review of the literature. *J Pediatr Orthop B*. 2002 Oct;11(4):339-42. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12370587>
- Chan I, Hamada T, Hardman C, McGrath JA, Child FJ. Progressive osseous heteroplasia resulting from a new mutation in the GNAS1 gene. *Clin Exp Dermatol*. 2004 Jan;29(1):77-80.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/14723729>
- Plagge A, Kelsey G, Germain-Lee EL. Physiological functions of the imprinted Gnas locus and its protein variants Galpha(s) and XLalpha(s) in human and mouse. *J Endocrinol*. 2008 Feb;196(2):193-214. doi: 10.1677/JOE-07-0544. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18252944>
- Shore EM, Ahn J, Jan de Beur S, Li M, Xu M, Gardner RJ, Zasloff MA, Whyte MP, Levine MA, Kaplan FS. Paternally inherited inactivating mutations of the GNAS1 gene in progressive osseous heteroplasia. *N Engl J Med*. 2002 Jan 10;346(2):99-106. Erratum in: *N Engl J Med* 2002 May 23; 346(21):1678.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/11784876>
- Weinstein LS, Chen M, Liu J. Gs(alpha) mutations and imprinting defects in human disease. *Ann N Y Acad Sci*. 2002 Jun;968:173-97. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12119276>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/progressive-osseous-heteroplasia>

Reviewed: January 2009

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services